The Water We Drink

VILLAGE OF PALMETTO WATER SYSTEM

Public Water Supply ID: LA1097011

We are pleased to present to you the Annual Water Quality Report for the year 2017. This report is designed to inform you about the quality of your water and services we deliver to you every day (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien). Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Our water source(s) are listed below:

Source Name	Source Water Type
WELL #1 - MIDDLE	Ground Water
WELL #3 - SOUTH WELL	Ground Water
WELL #4 - NORTH WELL	Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

<u>Microbial Contaminants</u> - such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

<u>Inorganic Contaminants</u> - such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

<u>Pesticides and Herbicides</u> - which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

<u>Organic Chemical Contaminants</u> – including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants - which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of 'MEDIUM'. If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact MARK BUDDEN at 337-623-4426.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. VILLAGE OF PALMETTO WATER SYSTEM is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

The Louisiana Department of Health and Hospitals - Office of Public Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2017. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

<u>Parts per million (ppm) or Milligrams per liter (mg/L)</u> – one part per million corresponds to one minute in two years or a single penny in \$10.000.

Parts per billion (ppb) or Micrograms per liter (ug/L) — one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

<u>Treatment Technique (TT)</u> – an enforceable procedure or level of technological performance which public water systems must follow to ensure

Action level (AL) — the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

<u>Maximum contaminant level (MCL)</u> – the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum contaminant level goal (MCLG) – the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

Maximum residual disinfectant level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

<u>Level 1 assessment</u> – A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

<u>Level 2 Assessment</u> – A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

During the period covered by this report we had the below noted violations.

Compliance Period	Analyte	Түре		
No Violations Occurred in the Calendar Year	r of 2017			

Our water system tested a minimum of 2 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
	2017		ppm		4	4	Water additive used to control microbes

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results.

Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
FLUORIDE	2/6/2017	0.7	0.6 - 0.7	ppm	4	4	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
NITRATE-NITRITE	3/27/2017	0.038	0.028 - 0.038	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
TRICHLOROETHYLEN E	2/6/2017	0.81	0.81	ppb	5	0	Discharge from metal degreasing sites and other factories

Radionuclides	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
COMBINED RADIUM (- 226 & -228)	2/6/2017	19	0.736 - 19	pCl/l	5	0	Erosion of natural deposits
GROSS BETA PARTICLE ACTIVITY	2/6/2017	3.15	2.68 - 3.15	pCi/I	50	0	Decay of natural and man-made deposits. Note: The gross beta particle activity MCL is 4 millirems/year annual dose equivalent to the total body or any internal organ. 50 pCi/L is used as a screening level.

Lead and Copper	Date	90 TH Percentile	Range	Unit	AL	Sites Over AL	Typical Source
LEAD	2014 - 2016	1	1-2	ppb	15	0	Corrosion of household plumbing systems; Erosion of natural deposits

Disinfection Byproducts	Sample Point	Period	Highest LRAA	Range	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAA5)	13677 HWY 105 (POC#8)	2017	8	8-8	ppb	60	0	By-product of drinking water disinfection
TOTAL HALOACETIC ACIDS (HAA5)	224 E. RAILROAD (POC#2)	2017	2	2.2 - 2.2	ppb	60	0	By-product of drinking water disinfection
ТТНМ	13677 HWY 105 (POC#8)	2017	8	7.7 - 7.7	ppb	80	0	By-product of drinking water chlorination
ттнм	224 E. RAILROAD (POC#2)	2017	2	1.6 - 1.6	ppb	80	0	By-product of drinking water chlorination

Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
ALUMINUM	2/6/2017	0.01	0.01	MG/L	0.05

CHLORIDE	2/6/2017	229.1	205.6 - 229.1	MG/L	250
IRON	2/6/2017	0.96	0.78 - 0.96	MG/L	0.3
MANGANESE	2/6/2017	0.1	0.08 - 0.1	MG/L	0.05
PH	2/6/2017	9.08	7.79 - 9.08	PH	8.5

Additional Required Health Effects Language:

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

Some people who drink water containing radium 226 or 228 in excess of the MCL over many years may have an increased risk of getting cancer.

There are no additional required health effects violation notices.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the VILLAGE OF PALMETTO WATER SYSTEM work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future. Please call our office if you have questions.

Please read before distributing you annual CCR "Water We Drink" Report

Inside the report you will find the following table where certain columns have been left blank. It is the responsibility of the water system to populate the table with the correct information in order to meet the content requirements of the annual CCR.

The residual levels used in this calculation must be taken from the bacteriological result reports sent to the water system. These reports should be in your records. There is an online calculator spreadsheet at www.ldh.la.gov/ccr for your use to assist in the completion of the table.

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
	2017	(2)	ppm	(3)	4	i Δ	Water additive used to control microbes

The water system is responsible for adding the following information.

1	Type of Disinfectant	Insert the type of disinfectant (chlorine, chloramines, etc.) used by the water system. If a secondary disinfectant (chlorine dioxide, etc.) is used, the water system will need to add additional rows to supply the additional information
2	Highest RAA - Quarterly Average of Monthly averages	The 1Q2017 Average is the 12 month average of April 2016 to March 2017 The 2Q2017 Average is the 12 month average of July 2016 to June 2017 The 3Q2017 Average is the 12 month average of October 2016 to September 2017 The 4Q2017 Average is the 12 month average of January 2017 to December 2017 Insert the highest calculated value only.
3	Range - Lowest to Highest residual for 2017	The lowest residual to the highest residual measured in 2017. Note: You will need data from 2016 to calculate the average, however, the range only includes residuals from 2017

Example: (THIS IS NOT REAL DATA. THIS DATA IS FOR THE EXAMPLE ONLY)

• System size: 25-1,000 people

Samples: 1 per month

Previous quarterly averages from 2016	2 nd Quarter	3 rd Quarter	4 th Quarter
	0.6	0.9	1.1

Example table (The below data is for example only and is not real data for the water system)

2017 Data	1st Quarter			2 nd Quarter			3 rd Quarter			4th Quarter		
Month	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.
Monthly Sample (ppm)	1.6	0.7	0.9	0.9	1.0	1.2	1.7	1.2	0.9	0.9	1.0	1.1
Monthly Avg.	1.6	0.7	0.9	0.9	1.0	1.2	1.3	0.8	0.6	0.9	1.0	1.1
Quarterly Avg.		1.07		<u> </u>	1.03			1.27			1.0	
Quarterly RAA*	+	0.92*		1.03*		1.12*			1.09			

*Reported RAA for 1st - 3rd quarters are based on results from previous quarters

Information to report in CCR Highest Quarterly RAA Value for the year = 1.12 ppm Range of individual values (0.7-1.7) 1Q2017 Avg = (0.6+0.9+1.1+1.07)/4 = 0.92 2Q2017 Avg = (0.9+1.1+1.07+1.03)/4 = 1.03 3Q2017 Avg = (1.1+1.07+1.03+1.27)/4 = 1.12 4Q2017 Avg = (1.07+1.03+1.27+1.0)/4 = 1.09

Example disinfectant table (Not real data, the water system must calculate its own data to complete table in CCR):

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
Chlorine	2017	1.12	ppm	0.7-1.7	4	4	Water additive used to control microbes

Addition to Consumer Confidence Report (CCR) - Water We Drink

Insert: Disinfectants - Maximum Residual Disinfectant Level (MRDL) and Disinfection By-products - Maximum Contaminant Level (MCL)

Instructions:

For all systems which use either Chlorine or Chloramines, as a disinfectant: You must report the annual average disinfectant residual level result and range of individual results in a Table in your CCR as shown in the following examples. You must also add the appropriate health effects language to the report in the Health Effects Language Section if the MRDL for either disinfectant was exceeded.

For all systems which use Chlorine Dioxide as a disinfectant: You must report the highest daily chlorine dioxide disinfectant residual level result and range of results and you must report the highest arithmetic average of monthly sample sets (3 samples in distribution system) and range in a Table in your CCR as shown in the following examples. You must also add the appropriate health effects language to the report in the Health Effects Language Section if the Chlorine Dioxide MRDL or the Chlorite MCL was exceeded.

For all systems which use Ozone as a disinfectant: You must report the annual average bromate level result and range of individual results in a Table in your CCR as shown in the following examples. You must also add the appropriate health effects language to the report in the Health Effects Language Section if the bromate MCL was exceeded.

Example Table (The below data is for example only and is not real data for the water system)

Disinfectant/By- product	Date	Result	Unit	Range	MRDL or MCL	MRDLG or MCLG	Typical Source	
Chlorine	2017		ppm		4	4	Water additive used to control microbes	
Chloramines	2017		ppm		4	4	Water additive used to control microbes	
Chlorine Dioxide	2017		ppb		800	800	Water additive used to control microbes	
Chlorite	2017	-	ppm		1	0.8	By-product of drinking water disinfection	
Bromate	2017		рръ		10	0	By-product of drinking water disinfection	

Disinfectant/By- product	Result value	Health Effects Language if exceeded
Chlorine MRDL	Highest running annual arithmetic average, computed quarterly, of monthly samples	Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort.
Chloramines MRDL	Highest running annual arithmetic average, computed quarterly, of monthly samples	Some people who use water containing chloramines well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chloramines well in excess of the MRDL could experience stomach discomfort or anemia.
Chlorine Dioxide MRDL	Highest daily value	Some infants and young children who drink water chlorine dioxide in excess of the MRDL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink water containing chlorine dioxide in excess of the MRDL. Some people may experience anemia.
Chlorite MCL	Highest arithmetic average of monthly sample sets (3 samples in distribution system	Some infants and young children who drink water containing chlorite in excess of the MCL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink water containing chlorite in excess of the MCL. Some people may experience anemia.
Bromate MCL	Highest running annual arithmetic average, computed quarterly, of monthly samples	Some people who drink water of containing bromate in excess of the MCL over many years may have an increased risk of getting cancer.